

# WARWICK

TEL: 1-800-418-3921  
FAX (Order Desk): 1-800-524-0579  
[www.warwick-sprayguns.com](http://www.warwick-sprayguns.com)

Industries Inc. since 1995



*The most cost effective choice !*

- AUTOMOTIVE ● COMMERCIAL ● FURNITURE ● INDUSTRIAL
- CRAFTS ● CUSTOM PAINTING ● FLEET



**Since 1995- Los Angeles**

### Customer Service

Hours of Operation: Monday-Friday 8:00 AM to 5:00 PM ( pacific time ) Closed on Holidays.

Phone: 800-418-3921 / Fax: 800-524-0579

Email: [admin@warwick-sprayguns.com](mailto:admin@warwick-sprayguns.com)

Email order: [order@warwick-sprayguns.com](mailto:order@warwick-sprayguns.com)

For distributor information: [info@warwick-spraygun.com](mailto:info@warwick-spraygun.com) ( we do not sell directly to end user ).

Website: [www.warwick-sprayguns.com](http://www.warwick-sprayguns.com)

| MODEL       | PAGE | AUTOMOTIVE | COMMERCIAL | FURNITURE | INDUSTRIAL | CRAFTS | CUSTOM PAINTING | FLEET |
|-------------|------|------------|------------|-----------|------------|--------|-----------------|-------|
| 827HF       | 4    | X          | X          | X         | X          | X      | X               | X     |
| 881H        | 5    | X          | X          | X         | X          | X      | X               | X     |
| 904H        | 6    | X          | X          | X         | X          |        | X               | X     |
| 904WB       | 6    | X          | X          | X         | X          |        | X               | X     |
| 904HE*      | 6    | X          | X          | X         | X          |        | X               | X     |
| 980H        | 7    | X          | X          | X         | X          |        | X               | X     |
| 980WB       | 7    | X          | X          | X         | X          |        | X               | X     |
| 980HE*      | 7    | X          | X          | X         | X          |        | X               | X     |
| 878HE*      | 8    | X          |            | X         | X          | X      | X               |       |
| 878S        | 9    | X          |            | X         | X          | X      | X               |       |
| 878S/WB     | 9    | X          |            | X         | X          | X      | X               |       |
| 878S/HE*    | 9    | X          |            | X         | X          | X      | X               |       |
| 828H        | 10   | X          |            | X         | X          | X      | X               |       |
| 898H        | 11   | X          | X          | X         | X          |        |                 | X     |
| 891H        | 12   | X          | X          | X         | X          |        |                 |       |
| 891WB       | 12   | X          | X          | X         | X          |        |                 | X     |
| 894H        | 13   | X          | X          | X         | X          |        |                 | X     |
| 903H        | 13   | X          | X          | X         |            | X      | X               | X     |
| 903G        | 13   | X          | X          | X         |            | X      | X               | X     |
| CHART       | 14   |            |            |           |            |        |                 |       |
| ACCESSORIES | 15   |            |            |           |            |        |                 |       |

- 1) \*HE (High Efficiency) model guns are superior for waterborne & solvent material.
- 2) All models listed above achieve a transfer efficiency greater than 65% which meets the HVLP requirement.  
Certified letter is available upon request.
- 3) For non-HVLP gun selection please see page 14 for detailed information.
- 4) WBPC cup is a plastic gravity cup with a stainless steel connector which is suitable for waterborne & solvent material.
- 5) Stainless steel nozzle and needle are standard on all Warwick guns.

**6) For airless parts (Rods/Sleeves/Cylinders/Strainers) : [www.warwick-sprayguns.com/airlessparts.htm](http://www.warwick-sprayguns.com/airlessparts.htm)**

# HVLP GUN KIT



**827HVLP AC**  
1.0 L CUP  
REGULATOR  
EXTRA NOZZLE SET  
REPAIR KIT



**881HVLP AC**  
1.0 L CUP  
REGULATOR  
EXTRA NOZZLE SET  
REPAIR KIT



**881HVLP AS**  
0.6L, 0.125L CUP  
REGULATOR / ADAPTER  
EXTRA NOZZLE SET  
REPAIR KIT



**881HVLP PC**  
0.6L, 0.125L CUP  
REGULATOR/ ADAPTER  
EXTRA NOZZLE SET  
REPAIR KIT



**898HVLP**  
1.0 QT. SIPHON CUP  
REGULATOR  
EXTRA NOZZLE SET  
REPAIR KIT



**891HVLP**  
1.0 QT. SIPHON CUP  
REGULATOR  
EXTRA NOZZLE SET  
REPAIR KIT



**Two gun Set**  
881H (standard ) & 828H (mini)  
Call for availability



## 904HE

Suitable for both waterborne & solvent-based material with stainless steel nozzle set.

**904HVLP AS**  
0.6L ALUMINUM CUP  
REGULATOR  
EXTRA NOZZLE SET  
REPAIR KIT

**904HVLP WP**  
0.6L WB PLASTIC CUP  
REGULATOR  
EXTRA NOZZLE SET  
REPAIR KIT

# 827HF

## TECHNICAL DATA:

Operating Pressure: 13CFM @ 43PSI , FAN:12"

Finish: Nickel Plated

Weight: 1.25 lbs

Aluminum Die Cast Gun Body.

## MULTI PURPOSE SPRAY GUNS FOR AUTOMOTIVE, INDUSTRIAL, COMMERCIAL.




| TIP SIZE (mm)<br><b>827HVLP GUN</b>                 | <b>1.2</b>                                                                          | <b>1.3</b>     | <b>1.4</b>             | <b>1.5</b>     | <b>1.7</b>             | <b>2.0</b>     | ACCESSORIES<br>INCLUDED                                 | PRICE<br>REF# |
|-----------------------------------------------------|-------------------------------------------------------------------------------------|----------------|------------------------|----------------|------------------------|----------------|---------------------------------------------------------|---------------|
| w/ 1.0 L<br>Aluminum cup<br>& regulator             | 827HF-<br>12AC                                                                      | 827HF-<br>13AC | <b>827HF-<br/>14AC</b> | 827HF-<br>15AC | <b>827HF-<br/>17AC</b> | 827HF-<br>20AC | CUP-26AC<br>REG-34H                                     | 2701          |
| w/ 0.6 L<br>Plastic cup<br>& regulator              | 827HF-<br>12PC                                                                      | 827HF-<br>13PC | 827HF-<br>14PC         | 827HF-<br>15PC | 827HF-<br>17PC         | 827HF-<br>20PC | CUP-26PC<br>REG-34H                                     | 2702          |
| Aluminum cup<br><b>AC GUN KIT</b><br>( SEE PAGE 3 ) | CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET<br>e.g. <b>827HVLP AC KIT 14-17</b> |                |                        |                |                        |                | CUP-26AC<br>REG-34H<br>EXTRA<br>NOZZLE SET<br>ACC-R-827 | 2703          |
| NOZZLE SET                                          | KIT-<br>27H-12                                                                      | KIT-<br>27H-13 | KIT-<br>27H-14         | KIT-<br>27H-15 | KIT-<br>27H-17         | KIT-<br>27H-20 | NEEDLE<br>NOZZLE<br>AIR CAP                             | 2704          |
| REPAIR KIT                                          | ACC-<br>R-827                                                                       | ACC-<br>R-827  | ACC-<br>R-827          | ACC-<br>R-827  | ACC-<br>R-827          | ACC-<br>R-827  | GASKETS,SPRINGS,<br>O-RING ETC...                       | 2705          |

Optional sizes are available for special order. See page 14.

| <b>CUP-26AC</b>                                                                                                                      | <b>CUP-26PC</b>                                                                                                                     | <b>REG-34H</b>                                                                                                | <b>827HVLP AC GUN KIT</b>                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| 5001                                                                                                                                 | 5002                                                                                                                                | 5022                                                                                                          | 2703                                                                                                 |
| <br>1.0 L aluminum<br>male thread cup<br>M 16x1.5 | <br>0.6 L plastic<br>male thread cup<br>M 16x1.5 | <br>Diaphragm<br>Regulator | <br>( see above ) |

Design for male  
thread cup

Easy to hook up



# 881H

## TECHNICAL DATA:

Operating Pressure: 13CFM @ 43PSI, FAN:12"

Finish: Nickel Plated

Weight: 1.14 lbs

Aluminum Die Cast Gun Body.

## MULTI PURPOSE SPRAY GUNS FOR AUTOMOTIVE, INDUSTRIAL, COMMERCIAL.

CUP-27AC  
1.0 L Aluminum  
F 16x1.5

CUP-27PC  
0.6 L Plastic  
F 16x1.5

CUP-27AS  
0.6 L Aluminum  
F 16x1.5



| TIP SIZE (mm)<br><b>881 HVLP GUN</b>              | <b>1.2</b>                                                                          | <b>1.3</b>          | <b>1.4</b>          | <b>1.5</b>          | <b>1.7</b>          | <b>2.0</b>          | ACCESSORIES<br>INCLUDED                                                        | PRICE<br>REF# |
|---------------------------------------------------|-------------------------------------------------------------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|--------------------------------------------------------------------------------|---------------|
| w/ 1.0 liter<br>Aluminum cup &<br>regulator       | 881H-<br>12AC                                                                       | 881H-<br>13AC       | 881H-<br>14AC       | 881H-<br>15AC       | 881H-<br>17AC       | 881H-<br>20AC       | CUP-27AC<br>REG-34H                                                            | 8101          |
| w/ 1.0 L<br>Aluminum cup                          | 881H-<br>NR<br>12AC                                                                 | 881H-<br>NR<br>13AC | 881H-<br>NR<br>14AC | 881H-<br>NR<br>15AC | 881H-<br>NR<br>17AC | 881H-<br>NR<br>20AC | CUP-27AC                                                                       | 8102          |
| w/ 0.6 L<br>Plastic cup &<br>regulator            | 881H-<br>12PC                                                                       | 881H-<br>13PC       | 881H-<br>14PC       | 881H-<br>15PC       | 881H-<br>17PC       | 881H-<br>20PC       | CUP-27PC<br>REG-34H                                                            | 8103          |
| w/ 0.6 L<br>Plastic cup                           | 881H-<br>NR<br>12PC                                                                 | 881H-<br>NR<br>13PC | 881H-<br>NR<br>14PC | 881H-<br>NR<br>15PC | 881H-<br>NR<br>17PC | 881H-<br>NR<br>20PC | CUP-27PC                                                                       | 8104          |
| Aluminum cup<br><b>AC GUN KIT</b><br>(SEE PAGE 3) | CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET<br>e.g. <b>881HVLP AC KIT 14-17</b> |                     |                     |                     |                     |                     | CUP-27AC<br>REG-34H<br>EXTRA NOZZLE SET<br>ACC-R-881                           | 8105          |
| Aluminum cup<br><b>AS GUN KIT</b><br>(SEE PAGE 3) | CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET<br>e.g. <b>881HVLP AS KIT 14-17</b> |                     |                     |                     |                     |                     | CUP-27AS<br>CUP-28AC<br>adapter-27<br>REG-34H<br>EXTRA NOZZLE SET<br>ACC-R-881 | 8106          |
| Plastic cup<br><b>PC GUN KIT</b><br>(SEE PAGE 3)  | CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET<br>e.g. <b>881HVLP PC KIT 14-17</b> |                     |                     |                     |                     |                     | CUP-27PC<br>CUP-28PC<br>adapter-27<br>REG-34H<br>EXTRA NOZZLE SET<br>ACC-R-881 | 8107          |
| NOZZLE SET                                        | KIT-<br>81H-12                                                                      | KIT-<br>81H-13      | KIT-<br>81H-14      | KIT-<br>81H-15      | KIT-<br>81H-17      | KIT-<br>81H-20      | NEEDLE/NOZZLE<br>AIR CAP                                                       | 8108          |
| REPAIR KIT                                        | ACC-R-881                                                                           | ACC-R-881           | ACC-R-881           | ACC-R-881           | ACC-R-881           | ACC-R-881           | GASKETS, SPRINGS,<br>O-RING ETC...                                             | 8109          |

Optional sizes are available for special order. See page 14.

# 904H/HE (WB)

## TECHNICAL DATA:

Operating Pressure: 7-10CFM @29PSI, FAN:12"

Finish: Nickel Plated

Weight: 1.06 lbs

Aluminum Die Cast Gun Body

**LVLP** nozzle set is available.

*Stainless Steel throughout  
fluid path for HE & WB gun.*

HVLP / LVLP  
(Different Air Caps)



| TIP SIZE (mm)<br>904HVLP GUN                                                                             | 1.2                                                                              | 1.3          | 1.4          | 1.6          | 1.8          | 2.0          | 2.5          | ACCESSORIES<br>INCLUDED            | PRICE<br>REF# |
|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|------------------------------------|---------------|
| w/ 1.0 L Aluminum<br>cup & regulator                                                                     | 904H-12AC                                                                        | 904H-13AC    | 904H-14AC    | 904H-16AC    | 904H-18AC    | 904H-20AC    | 904H-25AC    | CUP-27AC<br>REG-34H                | 0401          |
| w/ 1.0 L Aluminum<br>cup                                                                                 | 904H-NR12AC                                                                      | 904H-NR13AC  | 904H-NR14AC  | 904H-NR16AC  | 904H-NR18AC  | 904H-NR20AC  | 904H-NR25AC  | CUP-27AC                           | 0402          |
| w/ 0.6 L Plastic cup<br>& regulator                                                                      | 904H-12PC                                                                        | 904H-13PC    | 904H-14PC    | 904H-16PC    | 904H-18PC    | 904H-20PC    | 904H-25PC    | CUP-27PC<br>REG-34H                | 0403          |
| w/ 0.6 L Plastic cup                                                                                     | 904H-NR12PC                                                                      | 904H-NR13PC  | 904H-NR14PC  | 904H-NR16PC  | 904H-NR18PC  | 904H-NR20PC  | 904H-NR25PC  | CUP-27PC                           | 0404          |
| w/ 0.6 L Plastic WB<br>cup & regulator                                                                   | 904WB-12PC                                                                       | 904WB-13PC   | 904WB-14PC   | 904WB-16PC   | 904WB-18PC   | 904WB-20PC   | 904WB-25PC   | CUP-27WBPC<br>REG-34H              | 0405          |
| w/ 0.6 L Plastic<br>WB cup                                                                               | 904WB-NR12PC                                                                     | 904WB-NR13PC | 904WB-NR14PC | 904WB-NR16PC | 904WB-NR18PC | 904WB-NR20PC | 904WB-NR25PC | CUP-27WBPC                         | 0406          |
| w/ 1.0 L Aluminum<br>cup & regulator                                                                     | 904HE-12AC                                                                       | 904HE-13AC   | 904HE-14AC   | 904HE-16AC   | 904HE-18AC   | 904HE-20AC   | 904HE-25AC   | CUP-27AC<br>REG-34H                | 0409          |
| w/ 1.0 L Aluminum<br>cup                                                                                 | 904HE-NR12AC                                                                     | 904HE-NR13AC | 904HE-NR14AC | 904HE-NR16AC | 904HE-NR18AC | 904HE-NR20AC | 904HE-NR25AC | CUP-27AC                           | 0410          |
| w/ 0.6 L Plastic WB<br>cup & regulator                                                                   | 904HE-12WP                                                                       | 904HE-13WP   | 904HE-14WP   | 904HE-16WP   | 904HE-18WP   | 904HE-20WP   | 904HE-25WP   | CUP-27WBPC<br>REG-34H              | 0411          |
| w/ 0.6 L Plastic WB<br>cup                                                                               | 904HE-NR12WP                                                                     | 904HE-NR13WP | 904HE-NR14WP | 904HE-NR16WP | 904HE-NR18WP | 904HE-NR20WP | 904HE-NR25WP | CUP-27WBPC                         | 0412          |
| Aluminum Cup<br>AS GUN KIT                                                                               | CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET e.g. <b>904HVLP AS KIT 13-16</b> |              |              |              |              |              |              | SEE PAGE 3                         | 0413          |
| Plastic Cup<br>WP GUN KIT                                                                                | CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET e.g. <b>904HVLP WP KIT 13-16</b> |              |              |              |              |              |              | SEE PAGE 3                         | 0414          |
| NOZZLE SET<br>(HVLP)  | KIT-O4H-12                                                                       | KIT-O4H-13   | KIT-O4H-14   | KIT-O4H-16   | KIT-O4H-18   | KIT-O4H-20   | KIT-O4H-25   | NEEDLE<br>NOZZLE<br>AIR CAP        | 0407          |
| NOZZLE SET<br>(LVLP)  | KIT-O4L-12                                                                       | KIT-O4L-13   | KIT-O4L-14   | KIT-O4L-16   | call         | call         | call         | NEEDLE<br>NOZZLE<br>AIR CAP        | 0407          |
| REPAIR KIT                                                                                               | ACC-R-904                                                                        | ACC-R-904    | ACC-R-904    | ACC-R-904    | ACC-R-904    | ACC-R-904    | ACC-R-904    | GASKETS, SPRINGS,<br>O-RING ETC... | 0408          |

Optional sizes are available for special order. See page 14.

# 980H/HE (WB)

## TECHNICAL DATA:

Operating Pressure: 9CFM @ 29PSI, FAN:12"

Finish: Nickel Plated for H model;

Anodized Black for HE/WB model.

Weight: 1.18 lbs

Aluminum Forged gun body

*high end*

980H Model  
(Nickel plated)

| 5007                                                                              | 5008                                                                              | 5022                                                                              |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|  |  |  |
| 1.0 L Aluminum<br>M 5/8"-11<br><b>CUP-80AC</b>                                    | 0.6 L Plastic<br>M 5/8"-11<br><b>CUP-80WBPC</b>                                   | Diaphragm<br>Regulator<br><b>REG-34H</b>                                          |



*Stainless Steel throughout  
fluid path for HE & WB gun.*

The 980H models are high quality topcoat finish spray guns for automotive or any other field of application. Enhanced atomization, softer fan, delivers superior finish quality. A transfer efficiency that exceeds 65% to meet VOC legislation. Available in a high strength anodized coating or high-gloss nickel plated chrome finish with stainless steel passages throughout to enhance internal corrosion protection making it suitable for waterborne or solvent base material.

| TIP SIZE (mm)<br><b>980 HVLP GUN</b>      | <b>1.0</b> | <b>1.3</b> | <b>1.4</b> | <b>1.5</b> | <b>1.7</b> | <b>1.9</b> | <b>2.2</b> | ACCESSORIES<br>INCLUDED                | PRICE<br>REF# |
|-------------------------------------------|------------|------------|------------|------------|------------|------------|------------|----------------------------------------|---------------|
| w/ 1.0 L<br>Aluminum cup<br>& regulator   | 980H-10AC  | 980H-13AC  | 980H-14AC  | 980H-15AC  | 980H-17AC  | 980H-19AC  | 980H-22AC  | CUP-80AC<br>REG-34H                    | 8001          |
| w/ 0.6 L<br>Plastic WB cup<br>& regulator | 980H-10PC  | 980H-13PC  | 980H-14PC  | 980H-15PC  | 980H-17PC  | 980H-19PC  | 980H-22PC  | CUP-80WB-<br>PC<br>REG-34H             | 8002          |
| w/ 0.6 L<br>Plastic WB cup<br>& regulator | 980WB-10PC | 980WB-13PC | 980WB-14PC | 980WB-15PC | 980WB-17PC | 980WB-19PC | 980WB-22PC | CUP-80WB-<br>PC<br>REG-34H             | 8003          |
| w/ 1.0 L<br>Aluminum cup<br>& regulator   | 980HE-10AC | 980HE-13AC | 980HE-14AC | 980HE-15AC | 980HE-17AC | 980HE-19AC | 980HE-22AC | CUP-80AC<br>REG-34H                    | 8006          |
| w/ 0.6 L<br>Plastic WB cup<br>& regulator | 980HE-10WP | 980HE-13WP | 980HE-14WP | 980HE-15WP | 980HE-17WP | 980HE-19WP | 980HE-22WP | CUP-80WB-<br>PC<br>REG-34H             | 8007          |
| NOZZLE SET                                | KIT-80H-10 | KIT-80H-13 | KIT-80H-14 | KIT-80H-15 | KIT-80H-17 | KIT-80H-19 | KIT-80H-22 | NEEDLE<br>NOZZLE<br>AIR CAP            | 8004          |
| REPAIR KIT                                | ACC-R-980  | ACC-R-980  | ACC-R-980  | ACC-R-980  | ACC-R-980  | ACC-R-980  | ACC-R-980  | GASKETS,<br>SPRINGS, O-<br>RING ETC... | 8005          |

# 878HE **(WB)** FULL SIZE HVLP MODEL

## TECHNICAL DATA:

Operating Pressure: 10CFM @29PSI, FAN:12"

Finish: Nickel Plated

Weight: 1.10 lbs

Aluminum Die Cast Gun Body



**3 OZ CUP**  
**Stainless**  
**Steel**  
**CUP-88**  
**5050**



**Adapt 0.125 L / 0.25 L CUP / 3 OZ.**  
**with adapter #28**



| TIP SIZE (mm)<br>878 HVLP GUN       | 1.2          | 1.3          | 1.4          | 1.5          | 1.6          | 1.8          | 2.0          | ACCESSORIES INCLUDED                  | PRICE REF# |
|-------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------------------------------|------------|
| w/ 1.0 L Aluminum cup & regulator   | 878HE-12AC   | 878HE-13AC   | 878HE-14AC   | 878HE-15AC   | 878HE-16AC   | 878HE-18AC   | 878HE-20AC   | CUP-27AC<br>REG-34H                   | 7812       |
| w/ 0.6 L Plastic WB cup & regulator | 878HE-12WBPC | 878HE-13WBPC | 878HE-14WBPC | 878HE-15WBPC | 878HE-16WBPC | 878HE-18WBPC | 878HE-20WBPC | CUP-27WB-PC<br>REG-34H                | 7801       |
| NOZZLE SET                          | KIT-78H-12   | KIT-78H-13   | KIT-78H-14   | KIT-78H-15   | KIT-78H-16   | KIT-78H-18   | KIT-78H-20   | NEEDL<br>NOZZLE<br>AIR CAP            | 7802       |
| REPAIR KIT                          | ACC-R-878    | ACC-R-878    | ACC-R-878    | ACC-R-878    | ACC-R-878    | ACC-R-878    | ACC-R-878    | GASKETS,<br>SPRINGS,<br>O-RING ETC... | 7803       |

Optional sizes are available for special order. See page 14.

|                                                     |                                                     |                                                    |                                                                                     |                       |
|-----------------------------------------------------|-----------------------------------------------------|----------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------|
| 5003                                                | 5006                                                | 5004                                               | 5005                                                                                | 5022                  |
| <p>1.0 L Aluminum F, 16x1.5<br/><b>CUP-27AC</b></p> | <p>0.6 L Aluminum F, 16x1.5<br/><b>CUP-27AS</b></p> | <p>0.6 L Plastic F, 16x1.5<br/><b>CUP-27PC</b></p> | <p>0.6 L Plastic F, 16x1.5 with stainless steel connector<br/><b>CUP-27WBPC</b></p> | <p><b>REG-34H</b></p> |

# 878S/HE (WB)

## TECHNICAL DATA:

Operating Pressure: 4CFM @ 29PSI , FAN:6"

Finish: Nickel Plated

Weight: 0.66 lbs

Aluminum Die Cast Gun Body


**NEW**

*Stainless Steel throughout  
fluid path for HE & WB gun.*

**Adapt CUP-27 SERIES  
with adapter #27**



**3 OZ CUP**  
**Stainless Steel**  
**CUP-88**  
**5050**



**CUP-78SWBPC**  
0.125 L Plastic cup  
with stainless steel  
connector  
5014



**CUP-78SAC-250**  
0.125 L  
Aluminum Cup  
5015



**CUP-78SAC**  
0.125 L  
Aluminum cup  
5012

**Mini**

| TIP SIZE (mm)<br><b>878S HVP L GUN</b> | <b>0.8</b>          | <b>1.0</b>          | <b>1.2</b>          | <b>1.3</b>          | <b>1.4</b>          | <b>1.5</b>          | ACCESSORIES<br>INCLUDED               | PRICE<br>REF# |
|----------------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------------------------|---------------|
| w/ 0.125 L<br>Aluminum cup             | 878S-<br>08AC       | 878S-<br>10AC       | 878S-<br>12AC       | 878S-<br>13AC       | 878S-<br>14AC       | 878S-<br>15AC       | CUP-78SAC                             | 7804          |
| w/ 0.125 L<br>Plastic cup              | 878S-<br>08PC       | 878S-<br>10PC       | 878S-<br>12PC       | 878S-<br>13PC       | 878S-<br>14PC       | 878S-<br>15PC       | CUP-78SPC                             | 7805          |
| w/ 0.25 L<br>Aluminum cup              | 878S-<br>08AM       | 878S-<br>10AM       | 878S-<br>12AM       | 878S-<br>13AM       | 878S-<br>14AM       | 878S-<br>15AM       | CUP-<br>78SAC-250                     | 7806          |
| w/ 3 oz.<br>Stainless steel cup        | 878S-<br>08AC-88    | 878S-<br>10AC-88    | 878S-<br>12AC-88    | 878S-<br>13AC-88    | 878S-<br>14AC-88    | 878S-<br>15AC-88    | CUP-88                                | 7810          |
| w/ 0.125 L<br>Plastic WB cup           | 878S/WB-<br>08PC    | 878S/WB-<br>10PC    | 878S/WB-<br>12PC    | 878S/WB-<br>13PC    | 878S/WB-<br>14PC    | 878S/WB-<br>15PC    | CUP-78SWB-<br>PC                      | 7807          |
| w/ 3 oz.<br>Stainless steel cup        | 878S/WB-<br>08AC-88 | 878S/WB-<br>10AC-88 | 878S/WB-<br>12AC-88 | 878S/WB-<br>13AC-88 | 878S/WB-<br>14AC-88 | 878S/WB-<br>15AC-88 | CUP-88                                | 7811          |
| w/ 0.125 L<br>Aluminum cup             | 878S/HE-<br>08AC    | 878S/HE-<br>10AC    | 878S/HE-<br>12AC    | 878S/HE-<br>13AC    | 878S/HE-<br>14AC    | 878S/HE-<br>15AC    | CUP-78SAC                             | 7813          |
| w/ 0.125 L<br>Plastic WB cup           | 878S/HE-<br>08WP    | 878S/HE-<br>10WP    | 878S/HE-<br>12WP    | 878S/HE-<br>13WP    | 878S/HE-<br>14WP    | 878S/HE-<br>15WP    | CUP-78SWB-<br>PC                      | 7814          |
| w/ 0.25 L<br>Aluminum cup              | 878S/HE-<br>08AM    | 878S/HE-<br>10AM    | 878S/HE-<br>12AM    | 878S/HE-<br>13AM    | 878S/HE-<br>14AM    | 878S/HE-<br>15AM    | CUP-<br>78SAC-250                     | 7815          |
| w/ 3 oz.. Stainless<br>steel cup       | 878S/HE-<br>08AC-88 | 878S/HE-<br>10AC-88 | 878S/HE-<br>12AC-88 | 878S/HE-<br>13AC-88 | 878S/HE-<br>14AC-88 | 878S/HE-<br>15AC-88 | CUP-88                                | 7816          |
| NOZZLE SET                             | KIT-78S-08          | KIT-78S-10          | KIT-78S-12          | KIT-78S-13          | KIT-78S-14          | KIT-78S-15          | NEEDLE<br>NOZZLE<br>AIR CAP           | 7808          |
| REPAIR KIT                             | ACC-R-878S          | ACC-R-878S          | ACC-R-878S          | ACC-R-878S          | ACC-R-878S          | ACC-R-878S          | GASKETS,<br>SPRINGS,<br>O-RING ETC... | 7809          |

Optional sizes are available for special order. See page 14.

# 828H

Mini

## TECHNICAL DATA:

Operating Pressure: 4CFM @ 43PSI , FAN: 6"

Finish: Nickel Plated

Weight: 0.57 lbs

Aluminum Die Cast Gun Body



**CUP-28AC-250**  
(5042)  
0.25 L  
Aluminum



**Great Touch up / Detailing Gun with these  
Different Cups - Great For Small Jobs !**

**NEW**



**3 OZ CUP**  
**Stainless Steel**  
**CUP-88**  
**5050**

| TIP SIZE (mm)<br>828 HVLP GUN                                                  | 0.8           | 1.0           | 1.1           | ACCESSORIES<br>INCLUDED               | PRICE<br>REF# |
|--------------------------------------------------------------------------------|---------------|---------------|---------------|---------------------------------------|---------------|
| w/ 0.125 L<br>Aluminum cup and<br>regulator                                    | 828H-08AC     | 828H-10AC     | 828H-11AC     | CUP-28AC<br>REG-60                    | 2801          |
| w/ 0.125 L Plastic cup and<br>regulator                                        | 828H-08PC     | 828H-10PC     | 828H-11PC     | CUP-28PC<br>REG-60                    | 2803          |
| w/ 0.125 L Aluminum cup,<br>regulator & 2 glass<br>bottles w/ swivel arm       | 828H-08AC-ABK | 828H-10AC-ABK | 828H-11AC-ABK | CUP-28AC<br>ABK KIT<br>REG-60         | 2802          |
| w/ 0.125 L Plastic cup,<br>regulator & 2 glass<br>bottles w/ <b>swivel arm</b> | 828H-08PC-ABK | 828H-10PC-ABK | 828H-11PC-ABK | CUP-28PC<br>ABK KIT<br>REG-60         | 2804          |
| NOZZLE SET                                                                     | KIT-28H-08    | KIT-28H-10    | KIT-28H-11    | NEEDLE<br>NOZZLE<br>AIR CAP           | 2805          |
| REPAIR KIT                                                                     | ACC-R-828     | ACC-R-828     | ACC-R-828     | GASKETS,<br>SPRINGS,<br>O-RING ETC... | 2806          |

Optional sizes are available for special order. See page 14.

| 5009                                       | 5010                                      | 5011               | 5023                               | 5040                                                          |
|--------------------------------------------|-------------------------------------------|--------------------|------------------------------------|---------------------------------------------------------------|
| <br><b>CUP-28AC</b><br>0.125 L<br>Aluminum | <br><b>CUP-28PC</b><br>0.125 L<br>Plastic | <br><b>ABK-KIT</b> | <br><b>REG-60</b><br>Air Regulator | <b>ADAPTER #27</b><br>For mini gun<br>to use CUP-27<br>series |

*Great for Artist Use*



# 898H

CUP-02 / 5016

## TECHNICAL DATA:

Operating Pressure: 13CFM @ 43PSI, FAN: 12"

Finish: Nickel Plated

Weight: 1.10 lbs

Aluminum Die Cast Gun Body.

**EXCELLENT ATOMIZING FOR WOOD WORKING,  
INDUSTRIAL, AND COMMERCIAL SPRAYING.**



See Page 3



| TIP SIZE (mm)<br>898 HVLP GUN                                         | 1.0                                                                        | 1.2         | 1.4         | 1.7         | 2.0         | 2.3         | 2.5         | ACCESSORIES<br>INCLUDED                  | PRICE<br>REF# |
|-----------------------------------------------------------------------|----------------------------------------------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|------------------------------------------|---------------|
| Gun only                                                              | 898H-10 GUN                                                                | 898H-12 GUN | 898H-14 GUN | 898H-17 GUN | 898H-20 GUN | 898H-23 GUN | 898H-25 GUN | N/A                                      | 9801          |
| w/ 1 qt. aluminum siphon cup                                          | 898H-10                                                                    | 898H-12     | 898H-14     | 898H-17     | 898H-20     | 898H-23     | 898H-25     | CUP-02                                   | 9802          |
| w/ 2 qt. pressure pot and 5' hose set                                 | 898H-10-2QB                                                                | 898H-12-2QB | 898H-14-2QB | 898H-17-2QB | 898H-20-2QB | 898H-23-2QB | 898H-25-2QB | CUP-2QB<br>HOSE-5P                       | 9803          |
| w/ 2 1/4 gal. pressure tank (single regulator) 12' hose set and liner | 898H-10-25N                                                                | 898H-12-25N | 898H-14-25N | 898H-17-25N | 898H-20-25N | 898H-23-25N | 898H-25-25N | TANK-25N<br>HOSE-12P<br>LINER            | 9804          |
| w/ 2 1/4 gal. pressure tank (dual regulator) 12' hose set and liner   | 898H-10-26N                                                                | 898H-12-26N | 898H-14-26N | 898H-17-26N | 898H-20-26N | 898H-23-26N | 898H-25-26N | TANK-26N<br>HOSE-12P<br>LINER            | 9805          |
| HVLP GUN KIT                                                          | e.g. 898H GUN KIT 14-17<br>CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET |             |             |             |             |             |             | KITS SEE<br>PAGE 3                       | 9806          |
| NOZZLE SET                                                            | KIT-91H-10                                                                 | KIT-91H-12  | KIT-91H-14  | KIT-91H-17  | KIT-91H-20  | KIT-91H-23  | KIT-91H-25  | NEEDLE<br>NOZZLE<br>AIR CAP              | 9807          |
| REPAIR KIT                                                            | ACC--898                                                                   | ACC--898    | ACC--898    | ACC--898    | ACC--898    | ACC--898    | ACC--898    | GASKETS,<br>SPRINGS,<br>O-RING<br>ETC... | 9808          |

Optional sizes are available for special order. See page 14.

|                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 50219/ 5027<br><b>CUP-2QB / HOSE-5P</b>                                             | 5020 / 5028<br><b>TANK-25N / HOSE-12P</b>                                           |
|  |  |



**REG-25N / 5025**  
Single Regulator

**REG-26N / 5026**  
Dual Regulator

**REG-2QB / 5024**  
2 qt. Cup Regulator

**T-25L-20 / 5031 (20pc)**  
**T-25L-60 / 5032 (60pc)**  
Tank Liner

**HOSE- 5P/5027**  
**HOSE-12P/5028**  
**HOSE-15P/5029**  
**HOSE-25P/5030**



**898H-XX**  
(9802)

# 891H/WB

*high end*

## TECHNICAL DATA:

Operating Pressure: 13CFM @ 43PSI , FAN: 12"

Finish: Anodized Blue / Anodized Black for WB

Weight: 1.34 lbs

Aluminum Forged Gun Body .

**Stainless Steel throughout  
fluid path for WB gun.**

CUP-02 / 5016



**WB**



| TIP SIZE (mm)<br>891 HVLP GUN                                           | 1.0                                                                               | 1.2          | 1.4          | 1.7          | 2.0          | 2.3          | ACCESSORIES<br>INCLUDED                  | PRICE<br>REF# |
|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|--------------|--------------|--------------|--------------|------------------------------------------|---------------|
| Gun only                                                                | 891H-10 GUN                                                                       | 891H-12 GUN  | 891H-14 GUN  | 891H-17 GUN  | 891H-20 GUN  | 891H-23 GUN  | N/A                                      | 9101          |
| w/ 1 qt. aluminum siphon cup                                            | 891H-10                                                                           | 891H-12      | 891H-14      | 891H-17      | 891H-20      | 891H-23      | CUP-02                                   | 9102          |
| w/ 2 qt. pressure pot and 5' hose set                                   | 891H-10-2QB                                                                       | 891H-12-2QB  | 891H-14-2QB  | 891H-17-2QB  | 891H-20-2QB  | 891H-23-2QB  | CUP-2QB<br>HOSE-5P                       | 9103          |
| w/ 2 1/4 gal. pressure tank (single regulator) , 12' hose set and liner | 891H-10-25N                                                                       | 891H-12-25N  | 891H-14-25N  | 891H-17-25N  | 891H-20-25N  | 891H-23-25N  | TANK-25N<br>HOSE-12P<br>LINER            | 9104          |
| w/ 2 1/4 gal. pressure tank (dual regulator) , 12' hose set and liner   | 891H-10-26N                                                                       | 891H-12-26N  | 891H-14-26N  | 891H-17-26N  | 891H-20-26N  | 891H-23-26N  | TANK-26N<br>HOSE-12P<br>LINER            | 9105          |
| HVLP GUN KIT                                                            | e.g. <b>891H GUN KIT 14-17</b><br>CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET |              |              |              |              |              | SEE PAGE 3                               | 9106          |
| WB gun only                                                             | 891WB-10 GUN                                                                      | 891WB-12 GUN | 891WB-14 GUN | 891WB-17 GUN | 891WB-20 GUN | 891WB-23 GUN | N/A                                      | 9109          |
| w/ 2 qt. pressure pot and 5' hose set                                   | 891WB-10-2QB                                                                      | 891WB-12-2QB | 891WB-14-2QB | 891WB-17-2QB | 891WB-20-2QB | 891WB-23-2QB | CUP-2QB<br>HOSE-5P                       | 9110          |
| NOZZLE SET                                                              | KIT-91H-10                                                                        | KIT-91H-12   | KIT-91H-14   | KIT-91H-17   | KIT-91H-20   | KIT-91H-23   | NEEDLE/<br>NOZZLE<br>AIR CAP             | 9107          |
| REPAIR KIT                                                              | ACC-R-891                                                                         | ACC-R-891    | ACC-R-891    | ACC-R-891    | ACC-R-891    | ACC-R-891    | GASKETS,<br>SPRINGS,<br>O-RING<br>ETC... | 9108          |

Optional sizes are available for special order. See page 14.

|                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 5019 / 5027<br><b>CUP-2QB / HOSE-5P</b>                                             | 5020 / 5028<br><b>TANK-25N / HOSE-12P</b>                                           |
|  |  |



**REG-25N / 5025**  
Single Regulator



**REG-26N / 5026**  
Dual Regulator



**REG-2QB / 5024**  
2 qt. Cup Regulator



**T-25L-20 / 5031 (20pc)**  
**T-25L-60 / 5032 (60pc)**  
Tank Liner

**HOSE- 5P/5027**  
**HOSE-12P/5028**  
**HOSE-15P/5029**  
**HOSE-25P/5030**



**891H-XX (9102)**

# 894H

*high end*

## TECHNICAL DATA:

Operating Pressure: 4-6CFM @ 43PSI

Finish: Anodized Blue

Weight: 1.31 lbs

Aluminum Forged Gun Body.

5019  
CUP-2QB  
5027  
HOSE-5P



**LOW CFM**

**Great For  
On-Site Jobs !**

**EXCELLENT LOW CFM PRESSURE SYSTEM  
FOR USE WITH 2HP AIR COMPRESSORS  
AND UP.**

| TIP SIZE (mm)<br>894 HVLP GUN            | 1.3         | 1.4         | 1.5         | 1.7         | 2.0         | ACCESSORIES<br>INCLUDED                  | PRICE<br>REF# |
|------------------------------------------|-------------|-------------|-------------|-------------|-------------|------------------------------------------|---------------|
| Gun only                                 | 894H-13 GUN | 894H-14 GUN | 894H-15 GUN | 894H-17 GUN | 894H-20 GUN | N/A                                      | 9401          |
| w/ 2 qt. pressure pot<br>and 5' hose set | 894H-13-2QB | 894H-14-2QB | 894H-15-2QB | 894H-17-2QB | 894H-20-2QB | CUP-2QB<br>HOSE-5P                       | 9402          |
| NOZZLE SET                               | KIT-94H-13  | KIT-94H-14  | KIT-94H-15  | KIT-94H-17  | KIT-94H-20  | NEEDLE<br>NOZZLE<br>AIR CAP              | 9403          |
| REPAIR KIT                               | ACC-R-894   | ACC-R-894   | ACC-R-894   | ACC-R-894   | ACC-R-894   | GASKETS,<br>SPRINGS,<br>O-RING<br>ETC... | 9404          |

Optional sizes are available for special order. See page 14.

# 903H / 903G

**LVP TOUCH-UP /  
DETAILING GUNS**

## TECHNICAL DATA:

Operating Pressure: 14CFM @ 56-71PSI for H Model;  
10CFM @ 29PSI for G Model

Weight: 0.66 lbs for H Model; 0.97 for G Model


Finish: Nickel Plated, Aluminum Die Cast Gun Body

**Great for reaching diffi-  
cult places / angles !  
Great For Small Jobs.**



**“H”**

| TIP SIZE (mm)<br>903 HVLP GUN                           | 0.8        | 1.1        | 1.4        | 1.8        | ACCESSORIES<br>INCLUDED               | PRICE<br>REF# |
|---------------------------------------------------------|------------|------------|------------|------------|---------------------------------------|---------------|
| w/ 0.6 L Alumi-<br>num siphon<br>cup and adapter<br>#03 | 903H-08L   | 903H-11L   | 903H-14L   | 903H-18L   | CUP-03<br>ADAPTER-03                  | 0301          |
| w/ 0.6 L Alumi-<br>num siphon cup                       | 903H-08    | 903H-11    | 903H-14    | 903H-18    | CUP-03                                | 0302          |
| w/ 0.4 L Alumi-<br>num side cup                         | 903G-08    | 903G-11    | 903G-14    | 903G-18    | CUP-03G                               | 0303          |
| NOZZLE SET                                              | KIT-03H-08 | KIT-03H-11 | KIT-03H-14 | KIT-03H-18 | NEEDLE/<br>NOZZLE<br>AIR CAP          | 0304          |
| REPAIR KIT                                              | ACC-R-903  | ACC-R-903  | ACC-R-903  | ACC-R-903  | GASKETS,<br>SPRINGS,<br>O-RING ETC... | 0305          |



**“G”**

**CUP-03**  
0.6 L  
siphon cup  
5017



**CUP-03G**  
0.4 L  
gravity cup  
5018



Optional sizes are available for special order. See page 14.

# WARWICK FLUID NOZZLE SELECTION CHART

| Tip size available | Standard size in bold | 827HF | 881H | 904H/HE/<br>WB | 980H/HE/<br>WB | 878HE | 878S/SE/<br>SWB | 828H | 903G/903H | 891H/WB | 894H | 898H | 827 conventional | 898 conventional |
|--------------------|-----------------------|-------|------|----------------|----------------|-------|-----------------|------|-----------|---------|------|------|------------------|------------------|
| .0197 inch         | 0.5 mm                |       |      |                |                |       | CALL            | CALL |           |         |      |      |                  |                  |
| .0315 inch         | 0.8 mm                |       |      |                |                |       | 0.8             | 0.8  | 0.8       |         |      |      |                  |                  |
| .0394 inch         | 1.0 mm                | CALL  | CALL | CALL           | 1.0            | CALL  | 1.0             | 1.0  | CALL      | 1.0     | CALL | 1.0  | CALL             | CALL             |
| .0433 inch         | 1.1 mm                |       |      |                |                |       |                 | 1.1  | 1.1       |         |      |      |                  |                  |
| .0472 inch         | 1.2 mm                | 1.2   | 1.2  | 1.2            | CALL           | 1.2   | 1.2             |      |           | 1.2     | CALL | 1.2  | CALL             |                  |
| .0512 inch         | 1.3 mm                | 1.3   | 1.3  | 1.3            | 1.3            | 1.3   | 1.3             |      | CALL      | CALL    | 1.3  | CALL | CALL             |                  |
| .0551 inch         | 1.4 mm                | 1.4   | 1.4  | 1.4            | 1.4            | 1.4   | 1.4             |      | 1.4       | 1.4     | 1.4  | 1.4  | 1.4              | 1.4              |
| .0591 inch         | 1.5 mm                | 1.5   | 1.5  | CALL           | 1.5            | 1.5   | 1.5             | CALL | CALL      |         | 1.5  |      | CALL             |                  |
| .0630 inch         | 1.6 mm                |       |      | 1.6            |                | 1.6   |                 |      |           |         |      |      |                  |                  |
| .0669 inch         | 1.7 mm                | 1.7   | 1.7  |                | 1.7            |       |                 |      |           | 1.7     | 1.7  | 1.7  | 1.7              | 1.7              |
| .0709 inch         | 1.8 mm                |       |      | 1.8            |                | 1.8   |                 |      | 1.8       |         |      |      |                  |                  |
| .0748 inch         | 1.9 mm                |       |      |                | 1.9            |       |                 |      |           |         |      |      |                  |                  |
| .0787 inch         | 2.0 mm                | 2.0   | 2.0  | 2.0            |                | 2.0   | CALL            | CALL | CALL      | 2.0     | 2.0  | 2.0  | 2.0              | CALL             |
| .0866 inch         | 2.2 mm                |       |      |                | 2.2            |       |                 |      |           |         |      |      |                  |                  |
| .0906 inch         | 2.3 mm                | CALL  | CALL |                |                |       |                 |      |           | 2.3     | CALL | 2.3  |                  |                  |
| .0984 inch         | 2.5 mm                |       |      | 2.5            |                |       |                 |      |           |         |      | 2.5  | CALL             | CALL             |
| .1181 inch         | 3.0 mm                |       |      |                |                |       |                 |      |           |         |      |      | CALL             |                  |

| Metric Size | Decimal Size | For Use with Zahn 2 Viscosity Range | Fluid Viscosity Types                            | Automotive Paints                                           | Industrial & Commercial Coatings                                                                                                                                               |
|-------------|--------------|-------------------------------------|--------------------------------------------------|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| .5mm        | .0197 inch   | <14-16                              | Ultra Light                                      | stains, wash primers, dyes, solvents, inks, water.          | stains, wash primers, dyes, solvents, inks, water                                                                                                                              |
| .8mm        | .0315 inch   | <14-16                              | Very Light                                       | Base coat , clear coat, single stage.                       | primers, acrylics, lacquers, sealers, zinc, chromates, lubricants.                                                                                                             |
| 1.0mm       | .0394 inch   | 16-20                               | Light                                            |                                                             |                                                                                                                                                                                |
| 1.1mm       | .0433 inch   |                                     |                                                  |                                                             |                                                                                                                                                                                |
| 1.2mm       | .0472 inch   | 16-20                               |                                                  |                                                             |                                                                                                                                                                                |
| 1.3mm       | .0512 inch   | 16-20                               | Medium                                           |                                                             | synthetic enamels, fillers, shellacs, varnishes, primer, epoxies, urethanes, lubricants, wax emulsions, medium latex paint, waterborne industrial coatings, contact adhesives* |
| 1.4mm       | .0551 inch   | 20-60                               |                                                  |                                                             |                                                                                                                                                                                |
| 1.5mm       | .0591 inch   |                                     |                                                  |                                                             |                                                                                                                                                                                |
| 1.6mm       | .0630 inch   |                                     | Single stage, clear coat, primer, sealer, epoxy. |                                                             |                                                                                                                                                                                |
| 1.7mm       | .0669 inch   | >60                                 | Medium to Heavy                                  | Single stage, clear coat, primer, sealer, epoxy, polyester. |                                                                                                                                                                                |
| 1.9mm       | .0748 inch   | >60                                 | Heavy                                            | Primers, gel coat, polyester.                               | hi-build latex, multi color, light texture coatings, gel coat                                                                                                                  |
| 2.0mm       | .0787 inch   | >60                                 |                                                  |                                                             |                                                                                                                                                                                |
| 2.2mm       | .0866 inch   | >60                                 |                                                  |                                                             |                                                                                                                                                                                |
| 2.3mm       | .0906 inch   | >60                                 |                                                  |                                                             |                                                                                                                                                                                |
| 2.5mm       | .0984 inch   | >60                                 |                                                  |                                                             |                                                                                                                                                                                |
| 3.0mm       | .1181 inch   | >60                                 |                                                  |                                                             |                                                                                                                                                                                |

\* 1.4 for typical light viscosity water borne adhesives - for higher viscosities consult your Warwick Rep.

Note: Siphon type HVLP guns generally limited to light to medium viscosity material and low fluid delivery rate.

# ACCESSORIES:

| Price Ref #                         | Part No.        | material / capacity      | Thread                                                                              | 827HF       | 881H        | 904H<br>904HA<br>904WB                                                    | 980H<br>980HA<br>980WB | 878HA       | 878S<br>878SHA<br>878SWB | 828H         |
|-------------------------------------|-----------------|--------------------------|-------------------------------------------------------------------------------------|-------------|-------------|---------------------------------------------------------------------------|------------------------|-------------|--------------------------|--------------|
| 3M PPS ADAPTER CROSS REFERENCE ---> |                 |                          |                                                                                     | 16016<br>#9 | 16603<br>#2 | 16603<br>#2                                                               | 16132<br>#37           | 16603<br>#2 | 16105<br>#21             | 16105<br>#21 |
| 5001                                | CUP-26AC        | G, aluminum / 1000 cc    | M, 16X1.5                                                                           | X           |             |                                                                           |                        |             |                          |              |
| 5002                                | CUP-26PC        | G, plastic / 600 cc      | M, 16X1.5                                                                           | X           |             |                                                                           |                        |             |                          |              |
| 5003                                | CUP-27AC        | G, aluminum / 1000 cc    | F, 16X1.5                                                                           |             | X           | X                                                                         |                        | X           | adap #27                 | adap #27     |
| 5004                                | CUP-27PC        | G, plastic / 600 cc      | F, 16X1.5                                                                           |             | X           | X                                                                         |                        | X           | adap #27                 | adap #27     |
| 5006                                | CUP-27AS        | G, aluminum / 600 cc     | F, 16X1.5                                                                           |             | X           | X                                                                         |                        | X           | adap #27                 | adap #27     |
| 5005                                | CUP-27WBPC*     | G, plastic / 600 cc      | F, 16X1.5                                                                           |             | X           | X                                                                         |                        | X           | adap #27                 | adap #27     |
| 5007                                | CUP-80AC        | G, aluminum / 1000 cc    | M, 5/8"-11                                                                          |             |             |                                                                           | X                      |             |                          |              |
| 5008                                | CUP-80WBPC*     | G, plastic / 600 cc      | M, 5/8"-11                                                                          |             |             |                                                                           | X                      |             |                          |              |
| 5009                                | CUP-28AC        | G, aluminum / 125 cc     | F, 14X1.0                                                                           |             | adap #28    | adap #28                                                                  |                        | adap #28    |                          | X            |
| 5010                                | CUP-28PC        | G, plastic / 125 cc      | F, 14X1.0                                                                           |             | adap #28    | adap #28                                                                  |                        | adap #28    |                          | X            |
| 5042                                | CUP-28AC-250    | G, aluminum / 250 cc     | F, 14X1.0                                                                           |             | adap #28    | adap #28                                                                  |                        | adap #28    |                          | X            |
| 5012                                | CUP-78SAC**     | G, aluminum / 125 cc     | F, 14X1.0                                                                           |             |             |                                                                           |                        |             | X                        |              |
| 5013                                | CUP-78SPC**     | G, plastic / 125 cc      | F, 14X1.0                                                                           |             |             |                                                                           |                        |             | X                        |              |
| 5014                                | CUP-78SWBPC* ** | G, plastic / 125 cc      | F, 14X1.0                                                                           |             |             |                                                                           |                        |             | X                        |              |
| 5015                                | CUP-78SAC-250** | G, aluminum / 250 cc     | F, 14X1.0                                                                           |             |             |                                                                           |                        |             | X                        |              |
| 5050                                | CUP-88 (**)     | G, stainless steel / 3oz | F, 14X1.0                                                                           |             | adap #28    | adap #28                                                                  |                        | adap #28    | X                        | X            |
| 5011                                | ABK-KIT         | G, glass / -----         | -----                                                                               |             |             |                                                                           |                        |             | X                        | X            |
|                                     |                 |                          |                                                                                     | 903G        | 903H        | 891H                                                                      | 891WB                  | 894H        | 898H                     | 898 C        |
| 5018                                | CUP-03G         | aluminum / 0.4L          | 1/4"                                                                                | X           |             |                                                                           |                        |             |                          |              |
| 5016                                | CUP-02          | aluminum / 1qt.          | 3/8"                                                                                |             | adap #03    | X                                                                         | X                      |             | X                        | X            |
| 5017                                | CUP-03          | aluminum / 0.6 L         | 1/4"                                                                                |             | X           |                                                                           |                        |             |                          |              |
| 5019                                | CUP-2QB         | aluminum / 2 qt.         | -----                                                                               |             |             | X                                                                         | X                      | X           | X                        | X            |
| 5020                                | TANK-25N        | 2.25 gallons /single     | -----                                                                               |             |             | X                                                                         | X                      |             | X                        | X            |
| 5021                                | TANK-26N        | 2.25 gallons / dual      | -----                                                                               |             |             | X                                                                         | X                      |             | X                        | X            |
| 5027                                | HOSE-5P         | 1/4 air/fluid            |  | 5040        | #27         | Adapter #27 16X1.5 MALE - 14X1.0 FEMALE                                   |                        |             |                          |              |
| 5028                                | HOSE-12P        | 5/16 air, 3/8 fluid      |                                                                                     | 5041        | #28         | Adapter #28 14X1.0 MALE - 16X1.5 FEMALE                                   |                        |             |                          |              |
| 5029                                | HOSE-15P        | 5/16 air, 3/8 fluid      |                                                                                     | 5049        | #88         | Adapter #88 14X1.0 MALE - 10X1.0 MAKE (FOR SATA MINI JET TO ADAPT CUP-88) |                        |             |                          |              |
| 5030                                | HOSE-25P        | 5/16 air, 3/8 fluid      |                                                                                     | 5048        | #03         | Adapter #03 1/4" - 3/8"                                                   |                        |             |                          |              |
| ----                                | CUSTOMIZED      | CALL                     |                                                                                     |             |             |                                                                           |                        |             |                          |              |

|                                                                                                                               |                                                                                                                                         |                                                                                                                       |                                                                                                                                 |                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>F-27L-C</b><br><br>gravity cup filter   | <b>W-32S</b><br><br>siphon cup filter                | <b>ACC-815</b><br><br>gun holder   | <b>ACC-951</b><br><br>air dryer              | <b>ACC-809</b><br><br>inline filter   |
| <b>REG-60</b><br><br>5023<br>air regulator | <b>REG-34H</b><br><br>5022<br>diaphragm<br>regulator | <b>825-P</b><br><br>air hopper gun | <b>USA-823</b><br><br>rust protection<br>gun | <b>CUP-02</b><br><br>1 qt. siphon cup |



**WARWICK INDUSTRIES INC.**  
2615 STROZIER AVE  
EL MONTE, CA 91733  
[www.warwick-sprayguns.com](http://www.warwick-sprayguns.com)



**3 oz. Stainless Steel Cup**

*Your Distributor:*



# WARWICK

Industries Inc. since 1995

