

WARWICK

TEL: 1-800-418-3921

FAX (Order Desk): 1-800-524-0579

www.warwick-sprayguns.com

Industries Inc. since 1995



878SHE



904HE



980HE



TANK



891H



AIRLESS PARTS

- Great Quality - Best Value - Unbeatable Service

- AUTOMOTIVE • COMMERCIAL • FURNITURE • INDUSTRIAL
- CRAFTS • CUSTOM PAINTING • FLEET



Since 1995- Los Angeles

Office Hour : Monday-Friday 8:30 AM to 4:00 PM PST, Closed on Holidays.

WARWICK FLUID NOZZLE SELECTION CHART

Tip size available	Standard size in bold	827HF	881H	904HE L	980H 980HE L	878HE L	878SHE L	828H	903G/903H	891H 891WB L	894H L	898H	827 conventional	898 conventional
S: Siphon P: Pressure G: Gravity		G	G	G	G	G	G	G	G/S	S/P	P	S/P	G	S/P
.0197 inch	0.5 mm						CALL	CALL						
.0315 inch	0.8 mm						0.8	0.8	0.8					
.0394 inch	1.0 mm	CALL	CALL	CALL	1.0	CALL	1.0	1.0	CALL	1.0	CALL	1.0	CALL	CALL
.0433 inch	1.1 mm							1.1	1.1					
.0472 inch	1.2 mm	1.2	1.2	1.2	CALL	1.2	1.2			1.2	CALL	1.2	CALL	
.0512 inch	1.3 mm	1.3	1.3	1.3	1.3	1.3	1.3		CALL	CALL	1.3	CALL	CALL	
.0551 inch	1.4 mm	1.4	1.4	1.4	1.4	1.4	1.4		1.4	1.4	1.4	1.4	1.4	1.4
.0591 inch	1.5 mm	1.5	1.5	CALL	1.5	1.5	1.5	CALL	CALL		1.5		CALL	
.0630 inch	1.6 mm			1.6		1.6								
.0669 inch	1.7 mm	1.7	1.7		1.7					1.7	1.7	1.7	1.7	1.7
.0709 inch	1.8 mm			1.8		1.8			1.8					
.0748 inch	1.9 mm				1.9									
.0787 inch	2.0 mm	2.0	2.0	2.0		2.0	CALL	CALL	CALL	2.0	2.0	2.0	2.0	CALL
.0866 inch	2.2 mm				2.2									
.0906 inch	2.3 mm	CALL	CALL							2.3	CALL	2.3		
.0984 inch	2.5 mm			2.5								2.5	CALL	CALL
.1181 inch	3.0 mm												CALL	

L: low air consumption

Metric Size	Decimal Size	For Use with Zahn 2 Viscosity Range	Fluid Viscosity Types	Automotive Paints	Industrial / Commercial Wood Work Coatings
.5mm	.0197 inch	<14-16	Ultra Light	stains, wash primers, dyes, solvents, inks, water.	stains, wash primers, dyes, solvents, inks, water
.8mm	.0315 inch	<14-16	Very Light	Base coat , clear coat, single stage.	primers, acrylics, lacquers, sealers, zinc, chromates, lubricants.
1.0mm	.0394 inch	16-20	Light		
1.1mm	.0433 inch				
1.2mm	.0472 inch	16-20			
1.3mm	.0512 inch	16-20	Medium		
1.4mm	.0551 inch	20-60			
1.5mm	.0591 inch				
1.6mm	.0630 inch				
1.7mm	.0669 inch	>60	Medium to Heavy	Single stage, clear coat, primer, sealer, epoxy, polyester.	
1.9mm	.0748 inch	>60	Heavy	Primers, gel coat, polyester.	hi-build latex, multi color, light texture coatings, gel coat
2.0mm	.0787 inch	>60			
2.2mm	.0866 inch	>60			
2.3mm	.0906 inch	>60			
2.5mm	.0984 inch	>60			
3.0mm	.1181 inch	>60			

* 1.4 for typical light viscosity water borne adhesives - for higher viscosities consult your Warwick Rep.

Note: Siphon type HVLP guns generally limited to light to medium viscosity material and low fluid delivery rate.

General Recommendations:

(This is a general suggestion, for more accurate tip size recommendations, please read the paint manufacture user manual)

Automotive Finishes *Recommend model: 980H / 980HE / 904HE / 903G (detailing)*



980H 1.3 / 980H 1.4 - Solvent Base / Clear
980HE 1.3 / 980HE 1.4 - Solvent & Waterborne Base / Clear
904HE 1.3 Solvent & Waterborne Base
904HE 1.4 Solvent & Waterborne Clear
904HE 1.8 Solvent & Waterborne Primer

Commercial & Fleet Finishes

Recommend model: 904HE / 881H

881H 1.3 , 1.4 Solvent Base / Clear
881H 1.7, 2.0 Solvent Primer
904HE 1.3, 1.4 Solvent & waterborne Base, Clear
904HE 1.8, 2.0, 2.5 Solvent & waterborne Primer



Industrial Finishes

Recommend model: 891H / 891WB / 898H

898H 1.4 . 1.7 , 891H 1.4, 1.7
- 2 QT. pressure system, hoses,
- 2 1/4 Gallon Single / Dual regulator tanks w/ customized hoses. (standard 12' hose set)



Architectural Finishes

*Recommend model: 904HE (Gravity)
878SHE (Gravity detailing)*

904HE 1.3, 1.4, 1.8 Base, Clear, Primer
878SHE touch-up 1.0-1.2 Stains, dyes
878SHE touch-up 1.3-1.5 Thin




Wood Finishing

*Recommend model: 904HE (Gravity) / 894H (Pressure)
878SHE (Gravity detailing)*

1.2-1.3 Stains, dyes
1.4-1.6 Wood Thin
1.8 Wood Thicker
2.0, 2.5 Latex



Custom Painting



980HE 1.3 / 1.4 / Base, Clear Coat
904HE 1.3 / 1.4 / Base, Clear Coat
878SHE detailing 1.0-1.2

All three models are good for both Solvent and Water-base materials. Air dryer (ACC-951) are available.

827HF

TECHNICAL DATA:

For Solvent Material ONLY

Operating Pressure: 13CFM @ 43PSI

FAN:12", Standard Size Spray Gun

Finish: Nickel Plated

Weight: 1.25 lbs

Aluminum Die Cast Gun Body.

Stainless Steel Nozzle and Needle.

Can be used with 3M PPS Adp # 9 (16016)



1.3 / 1.4
Base Coat, Clear Coat Gun.
1.7 / 2.0
Primer Gun


MULTI PURPOSE SPRAY GUNS

TIP SIZE (mm) 827HVLP GUN	1.2	1.3	1.4	1.5	1.7	2.0	ACCESSORIES INCLUDED	PRICE REF#
w/ 1.0 L Aluminum cup & regulator	827HF- 12AC	827HF- 13AC	827HF- 14AC	827HF- 15AC	827HF- 17AC	827HF- 20AC	CUP-26AC REG-34H	2701
w/ 0.6 L Plastic cup & regulator	827HF- 12PC	827HF- 13PC	827HF- 14PC	827HF- 15PC	827HF- 17PC	827HF- 20PC	CUP-26PC REG-34H	2702
Aluminum cup AC GUN KIT (SEE PAGE 13)	CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET e.g. <u>827HVLP AC KIT 14-17</u>						CUP-26AC REG-34H EXTRA NOZZLE SET ACC-R-827	2703
NOZZLE SET	KIT- 27H-12	KIT- 27H-13	KIT- 27H-14	KIT- 27H-15	KIT- 27H-17	KIT- 27H-20	NEEDLE NOZZLE AIR CAP	2704
REPAIR KIT	ACC- R-827	ACC- R-827	ACC- R-827	ACC- R-827	ACC- R-827	ACC- R-827	GASKETS,SPRINGS, O-RING ETC...	2705

CUP-26AC	CUP-26PC	REG-34H	827HVLP AC GUN KIT
5001	5002	5022	2703
 1.0 L aluminum male thread cup M 16x1.5	 0.6 L plastic male thread cup M 16x1.5	 Diaphragm Regulator	 (see above)

Design for male
thread cup

Easy to hook up



881H

CUP-27AC
1.0 Liter

CUP-27PC
0.6 Liter

CUP-27AS
0.6 Liter

TECHNICAL DATA:

For Solvent Material ONLY

Operating Pressure: 13CFM @ 43PSI

FAN:12", Standard Size Spray Gun

Finish: Nickel Plated

Weight: 1.14 lbs

Aluminum Die Cast Gun Body.

Stainless Steel Nozzle and Needle.

Can be used with 3M PPS Adp # 2 (16603)



1.3 / 1.4
Base Coat, Clear Coat Gun.
1.7 / 2.0
Primer Gun

MULTI PURPOSE SPRAY GUNS

TIP SIZE (mm) 881 HVLP GUN	1.2	1.3	1.4	1.5	1.7	2.0	ACCESSORIES INCLUDED	PRICE REF#
w/ 1.0 liter Aluminum cup & regulator	881H-12AC	881H-13AC	881H-14AC	881H-15AC	881H-17AC	881H-20AC	CUP-27AC REG-34H	8101
w/ 0.6 liter Aluminum cup & regulator	Now 881H Gun / 0.6 L Aluminum cup / Regulator is available for special order P/N: 881H-AS						CUP-27AS REG-34H	8101
w/ 0.6 L Plastic cup & regulator	881H-12PC	881H-13PC	881H-14PC	881H-15PC	881H-17PC	881H-20PC	CUP-27PC REG-34H	8103
Aluminum cup AC GUN KIT (SEE PAGE 13)	CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET e.g. <u>881HVLP AC KIT 14-17</u>						CUP-27AC REG-34H EXTRA NOZZLE SET ACC-R-881	8105
Aluminum cup AS GUN KIT (SEE PAGE 13)	CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET e.g. <u>881HVLP AS KIT 14-17</u>						CUP-27AS CUP-28AC adapter-27 REG-34H EXTRA NOZZLE SET ACC-R-881	8106
Plastic cup PC GUN KIT (SEE PAGE 13)	CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET e.g. <u>881HVLP PC KIT 14-17</u>						CUP-27PC CUP-28PC adapter-27 REG-34H EXTRA NOZZLE SET ACC-R-881	8107
NOZZLE SET	KIT-81H-12	KIT-81H-13	KIT-81H-14	KIT-81H-15	KIT-81H-17	KIT-81H-20	NEEDLE/NOZZLE AIR CAP	8108
REPAIR KIT	ACC-R-881	ACC-R-881	ACC-R-881	ACC-R-881	ACC-R-881	ACC-R-881	GASKETS,SPRINGS, O-RING ETC...	8109

904HE / LE

TECHNICAL DATA:

Operating Pressure:

HVLP: 9CFM @29PSI

LVL: 8CFM @29PSI

FAN: 12" Standard Size Spray Gun

Finish: Nickel Plated

Weight: 1.06 lbs

Aluminum Die Cast Gun Body

Stainless Steel Nozzle and Needle.

Can be used with 3M PPS Adp # 2 (16603)

Good for both Solvent and Waterborne materials.

HVLP / LVL
(Different Air Caps)



MOST POPULAR

LVL nozzle set is available.

TIP SIZE (mm) 904 GUN	1.2	1.3	1.4	1.6	1.8	2.0	2.5	ACCESSORIES INCLUDED	PRICE REF#
w/ 1.0 L Aluminum cup & regulator HVLP	904HE-12AC	904HE-13AC	904HE-14AC	904HE-16AC	904HE-18AC	904HE-20AC	904HE-25AC	CUP-27AC REG-34H	0409
w/ 1.0 L Aluminum cup & regulator LVL	904LE-12AC	904LE-13AC	904LE-14AC	904LE-16AC	904LE-18AC	904LE-20AC	904LE-25AC	CUP-27AC REG-34H	0409
w/ 0.6 L Plastic WB plastic cup & regulator HVLP	904HE-12WP	904HE-13WP	904HE-14WP	904HE-16WP	904HE-18WP	904HE-20WP	904HE-25WP	CUP-27WBPC REG-34H	0411
w/ 0.6 L Plastic WB plastic cup & regulator LVL	904LE-12WP	904LE-13WP	904LE-14WP	904LE-16WP	904LE-18WP	904LE-20WP	904LE-25WP	CUP-27WBPC REG-34H	0411
Aluminum Cup AC GUN KIT	CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET e.g. 904HVLP AC KIT 13-16 OR 904LVL AC KIT 13-16							SEE PAGE 13	0415
Aluminum Cup AS GUN KIT	CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET e.g. 904HVLP AS KIT 13-16 OR 904LVL AS KIT 13-16							SEE PAGE 13	0413
Plastic Cup WP GUN KIT	CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET e.g. 904HVLP WP KIT 13-16 OR 904LVL WP KIT 13-16							SEE PAGE 13	0414
NOZZLE SET (HVLP)	KIT-O4H-12	KIT-O4H-13	KIT-O4H-14	KIT-O4H-16	KIT-O4H-18	KIT-O4H-20	KIT-O4H-25	NEEDLE NOZZLE AIR CAP	0407
NOZZLE SET (LVL)	KIT-O4L-12	KIT-O4L-13	KIT-O4L-14	KIT-O4L-16	KIT-O4L-18	KIT-O4L-20	KIT-O4L-25	NEEDLE NOZZLE AIR CAP	0407
REPAIR KIT	ACC-R-904	ACC-R-904	ACC-R-904	ACC-R-904	ACC-R-904	ACC-R-904	ACC-R-904	GASKETS, SPRINGS, O-RING ETC...	0408

980H/HE (WB)

BEST FOR
AUTOMOTIVE

980H Model
(Nickel plated)

TECHNICAL DATA:

Operating Pressure: 9CFM @ 29PSI

FAN: 12" Standard Size Spray Gun

Finish: Nickel Plated for H model;

Anodized Black for HE/WB model.

Weight: 1.18 lbs

Aluminum Forged gun body

Stainless Steel Nozzle and Needle.

Can be used with 3M PPS Adp # 37 (16132)

high end

5007	5008	5022
		
1.0 L Aluminum M 5/8"-11 CUP-80AC	0.6 L Plastic M 5/8"-11 CUP-80WBPC	Diaphragm Regulator REG-34H



Stainless Steel throughout
fluid path for HE & WB gun.

The 980H models are high quality topcoat finish spray guns for automotive or any other field of application. Enhanced atomization, softer fan, delivers superior finish quality. A transfer efficiency that exceeds 65% to meet VOC legislation. Available in a high strength anodized coating or high-gloss nickel plated chrome finish with stainless steel passages throughout to enhance internal corrosion protection making it suitable for waterborne or solvent base material.



NEW

TIP SIZE (mm) 980 HVLP GUN	1.0	1.3	1.4	1.5	1.7	1.9	2.2	ACCESSORIES INCLUDED	PRICE REF#
w/ 1.0 L Aluminum cup & regulator	980H-10AC	980H-13AC	980H-14AC	980H-15AC	980H-17AC	980H-19AC	980H-22AC	CUP-80AC REG-34H	8001
w/ 0.6 L Plastic WB cup & regulator	980H-10PC	980H-13PC	980H-14PC	980H-15PC	980H-17PC	980H-19PC	980H-22PC	CUP-80WB- PC REG-34H	8002
w/ 1.0 L Aluminum cup & regulator	980HE-10AC	980HE-13AC	980HE-14AC	980HE-15AC	980HE-17AC	980HE-19AC	980HE-22AC	CUP-80AC REG-34H	8006
w/ 0.6 L Plastic WB cup & regulator	980HE-10WP	980HE-13WP	980HE-14WP	980HE-15WP	980HE-17WP	980HE-19WP	980HE-22WP	CUP-80WB- PC REG-34H	8007
NOZZLE SET	KIT-80H-10	KIT-80H-13	KIT-80H-14	KIT-80H-15	KIT-80H-17	KIT-80H-19	KIT-80H-22	NEEDLE NOZZLE AIR CAP	8004
REPAIR KIT	ACC-R-980	ACC-R-980	ACC-R-980	ACC-R-980	ACC-R-980	ACC-R-980	ACC-R-980	GASKETS, SPRINGS, O- RING ETC...	8005

878SHE (WB)

BEST DETAILING GUN

Mini

TECHNICAL DATA:

Operating Pressure: 4CFM @ 29PSI

FAN:6", Touch-up Size Spray Gun

Finish: Nickel Plated

Weight: 0.66 lbs

Aluminum Die Cast Gun Body

Stainless Steel Nozzle and Needle.

Can be used with 3M PPS

Adp # 21 (16105)



ABK-KIT



3 OZ CUP
Stainless Steel
CUP-88
5050



CUP-78SWBPC
0.125 L Plastic cup
with stainless steel
connector
5014



CUP-78SAC-250
0.25 L
Aluminum Cup
5015



CUP-78SAC
0.125 L
Aluminum cup
5012

Adapt CUP-27 SERIES with adapter #27

TIP SIZE (mm) 878S HVLP GUN	0.8	1.0	1.2	1.3	1.4	1.5	ACCESSORIES INCLUDED	PRICE REF#	
w/ 0.125 L Aluminum cup	878S/HE-08AC	878S/HE-10AC	878S/HE-12AC	878S/HE-13AC	878S/HE-14AC	878S/HE-15AC	CUP-78SAC	7813	
w/ 0.125 L Plastic WB cup	878S/HE-08WP	878S/HE-10WP	878S/HE-12WP	878S/HE-13WP	878S/HE-14WP	878S/HE-15WP	CUP-78S WBPC	7814	
w/ 0.25 L Aluminum cup	878S/HE-08AM	878S/HE-10AM	878S/HE-12AM	878S/HE-13AM	878S/HE-14AM	878S/HE-15AM	CUP-78SAC-250	7815	
w/ 3 oz.. Stainless steel cup	878S/HE-08AC-88	878S/HE-10AC-88	878S/HE-12AC-88	878S/HE-13AC-88	878S/HE-14AC-88	878S/HE-15AC-88	CUP-88	7816	
878SHE GUN KIT	878SHE GUN W/ 1 EXTRA NOZZLE SET (CHOOSE ANY OF 1 SMALL CUP) - SEE PAGE 13								7817
878SHE GUN KIT	878SHE GUN W/ 2 EXTRA NOZZLE SETS (CHOOSE ANY OF 1 SMALL CUP) - SEE PAGE 13								7818
NOZZLE SET	KIT-78S-08	KIT-78S-10	KIT-78S-12	KIT-78S-13	KIT-78S-14	KIT-78S-15	NEEDLE NOZZLE AIR CAP	7808	
REPAIR KIT	ACC-R-878S	ACC-R-878S	ACC-R-878S	ACC-R-878S	ACC-R-878S	ACC-R-878S	GASKETS, SPRINGS, O-RING ETC...	7809	

878 HE (WB) FULL SIZE HVLP MODEL

TECHNICAL DATA:

Operating Pressure: 10CFM @29PSI

FAN:12", Standard Size Spray Gun

Finish: Nickel Plated

Weight: 1.10 lbs

Aluminum Die Cast Gun Body

Stainless Steel Nozzle and Needle.

Can be used with 3M PPS Adp # 2 (16603)

878HE-13AC / 878HE-13WP

878HE-14AC / 878HE-14WP

For other sizes, please call.

Stainless Steel throughout
fluid path for HE & WB gun.

1.3 / 1.4
Base Coat,
Clear Coat Gun.



828H

Mini

TECHNICAL DATA:

For Solvent Material ONLY

Operating Pressure: 4CFM @ 43PSI

FAN: 6", Touch-up Size Spray Gun

Finish: Nickel Plated

Weight: 0.57 lbs

Aluminum Die Cast Gun Body

Stainless Steel Nozzle and Needle.

Can be used with 3M PPS

Adp # 21 (16105)



NEW

CUP-28AC-250

(5042)

0.25 L

Aluminum

3 OZ CUP

Stainless Steel

CUP-88

5050



**Great Touch up / Detailing Gun with these
Different Cups - Great For Small Jobs !**

TIP SIZE (mm) 828 HVLP GUN	0.8	1.0	1.1	ACCESSORIES INCLUDED	PRICE REF#
w/ 0.125 L Aluminum cup and regulator	828H-08AC	828H-10AC	828H-11AC	CUP-28AC REG-60	2801
w/ 0.125 L Plastic cup and regulator	828H-08PC	828H-10PC	828H-11PC	CUP-28PC REG-60	2803
w/ 0.125 L Aluminum cup, regulator & 2 glass bottles w/ swivel arm	828H-08AC-ABK	828H-10AC-ABK	828H-11AC-ABK	CUP-28AC ABK KIT REG-60	2802
w/ 0.125 L Plastic cup, regulator & 2 glass bottles w/ swivel arm	828H-08PC-ABK	828H-10PC-ABK	828H-11PC-ABK	CUP-28PC ABK KIT REG-60	2804
w/ 0.25L Aluminum cup and regulator	828H-08AM	828H-10AM	828H-11AM	CUP-28AM REG-60	2807
w/ 3 OZ S/S cup and regulator	828H-08AC-88	828H-10AC-88	828H-11AC-88	CUP-88 REG-60	2808
NOZZLE SET	KIT-28H-08	KIT-28H-10	KIT-28H-11	NEEDLE NOZZLE AIR CAP	2805
REPAIR KIT	ACC-R-828	ACC-R-828	ACC-R-828	GASKETS, SPRINGS, O-RING ETC...	2806

5009	5010	5011	5023	5040
				ADAPTER #27 For mini gun to use CUP-27 series
CUP-28AC 0.125 L Aluminum	CUP-28PC 0.125 L Plastic	ABK-KIT	REG-60 Air Regulator	



Great for Artist use

891H/WB

high end

TECHNICAL DATA:

Operating Pressure: 13CFM @ 43PSI , FAN: 12"
Finish: Anodized Blue / Anodized Black for WB
Weight: 1.34 lbs

Aluminum Forged Gun Body .

Stainless Steel throughout
fluid path for WB gun.

CUP-02 / 5016



WB



TIP SIZE (mm) 891 HVLP GUN	1.0	1.2	1.4	1.7	2.0	2.3	ACCESSORIES INCLUDED	PRICE REF#
Gun only	891H-10 GUN	891H-12 GUN	891H-14 GUN	891H-17 GUN	891H-20 GUN	891H-23 GUN	N/A	9101
w/ 1 qt. aluminum siphon cup	891H-10	891H-12	891H-14	891H-17	891H-20	891H-23	CUP-02	9102
w/ 2 qt. pressure pot and 5' hose set	891H-10-2QB	891H-12-2QB	891H-14-2QB	891H-17-2QB	891H-20-2QB	891H-23-2QB	CUP-2QB HOSE-5P	9103
w/ 2 1/4 gal. pressure tank (single regulator) , 12' hose set and liner	891H-10-25N	891H-12-25N	891H-14-25N	891H-17-25N	891H-20-25N	891H-23-25N	TANK-25N HOSE-12P LINER	9104
w/ 2 1/4 gal. pressure tank (dual regulator) , 12' hose set and liner	891H-10-26N	891H-12-26N	891H-14-26N	891H-17-26N	891H-20-26N	891H-23-26N	TANK-26N HOSE-12P LINER	9105
HVLP GUN KIT	e.g. 891H GUN KIT 14-17 CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET						SEE PAGE 13	9106
WB gun only	891WB-10 GUN	891WB-12 GUN	891WB-14 GUN	891WB-17 GUN	891WB-20 GUN	891WB-23 GUN	N/A	9109
w/ 2 qt. pressure pot and 5' hose set	891WB-10-2QB	891WB-12-2QB	891WB-14-2QB	891WB-17-2QB	891WB-20-2QB	891WB-23-2QB	CUP-2QB HOSE-5P	9110
NOZZLE SET	KIT-91H-10	KIT-91H-12	KIT-91H-14	KIT-91H-17	KIT-91H-20	KIT-91H-23	NEEDLE/ NOZZLE AIR CAP	9107
REPAIR KIT	ACC-R-891	ACC-R-891	ACC-R-891	ACC-R-891	ACC-R-891	ACC-R-891	GASKETS, SPRINGS, O-RING ETC...	9108

5019 / 5027	5020 / 5028
CUP-2QB / HOSE-5P	TANK-25N / HOSE-12P
	



REG-25N / 5025
Single Regulator



REG-26N / 5026
Dual Regulator



REG-2QB / 5024
2 qt. Cup Regulator



T-25L-20 / 5031 (20pc)
T-25L-60 / 5032 (60pc)
Tank Liner

HOSE- 5P/5027
HOSE-12P/5028
HOSE-15P/5029
HOSE-25P/5030



891H-XX (9102)

898H

TECHNICAL DATA:

For Solvent Material ONLY

Operating Pressure: 13CFM @ 43PSI,

FAN: 12" Standard Size Spray Gun

Finish: Nickel Plated

Weight: 1.10 lbs

Aluminum Die Cast Gun Body.

Stainless Steel Nozzle and Needle.

CUP-02 / 5016



See Page 13



**EXCELLENT ATOMIZING FOR WOOD WORKING,
INDUSTRIAL, AND COMMERCIAL SPRAYING.**

TIP SIZE (mm) 898 HVLP GUN	1.0	1.2	1.4	1.7	2.0	2.3	2.5	ACCESSORIES INCLUDED	PRICE REF#
Gun only	898H-10 GUN	898H-12 GUN	898H-14 GUN	898H-17 GUN	898H-20 GUN	898H-23 GUN	898H-25 GUN	N/A	9801
w/ 1 qt. aluminum siphon cup	898H-10	898H-12	898H-14	898H-17	898H-20	898H-23	898H-25	CUP-02	9802
w/ 2 qt. pressure pot and 5' hose set	898H-10-2QB	898H-12-2QB	898H-14-2QB	898H-17-2QB	898H-20-2QB	898H-23-2QB	898H-25-2QB	CUP-2QB HOSE-5P	9803
w/ 2 1/4 gal. pressure tank (single regulator) 12' hose set and liner	898H-10-25N	898H-12-25N	898H-14-25N	898H-17-25N	898H-20-25N	898H-23-25N	898H-25-25N	TANK-25N HOSE-12P LINER	9804
w/ 2 1/4 gal. pressure tank (dual regulator) 12' hose set and liner	898H-10-26N	898H-12-26N	898H-14-26N	898H-17-26N	898H-20-26N	898H-23-26N	898H-25-26N	TANK-26N HOSE-12P LINER	9805
HVLP GUN KIT	e.g. 898H GUN KIT 14-17 CHOOSE ONE TIP FOR GUN AND ONE EXTRA NOZZLE SET							KITS SEE PAGE 13	9806
NOZZLE SET	KIT-91H-10	KIT-91H-12	KIT-91H-14	KIT-91H-17	KIT-91H-20	KIT-91H-23	KIT-91H-25	NEEDLE NOZZLE AIR CAP	9807
REPAIR KIT	ACC--898	ACC--898	ACC--898	ACC--898	ACC--898	ACC--898	ACC--898	GASKETS, SPRINGS, O-RING ETC...	9808

50219/ 5027 CUP-2QB / HOSE-5P	5020 / 5028 TANK-25N / HOSE-12P
	



898H-XX
(9802)

894H

high end

LOW CFM

TECHNICAL DATA:

For Solvent Material ONLY

Operating Pressure: 4-6CFM @ 43PSI

Finish: Anodized Blue

Weight: 1.31 lbs

Aluminum Forged Gun Body.

**EXCELLENT LOW CFM PRESSURE SYSTEM
FOR USE WITH 2HP AIR COMPRESSORS
AND UP.**

5019
CUP-2QB
5027
HOSE-5P



**Great For
On-Site Jobs !**

TIP SIZE (mm) 894 HVLP GUN	1.3	1.4	1.5	1.7	2.0	ACCESSORIES INCLUDED	PRICE REF#
Gun only	894H-13 GUN	894H-14 GUN	894H-15 GUN	894H-17 GUN	894H-20 GUN	N/A	9401
w/ 2 qt. pressure pot and 5' hose set	894H-13-2QB	894H-14-2QB	894H-15-2QB	894H-17-2QB	894H-20-2QB	CUP-2QB HOSE-5P	9402
NOZZLE SET	KIT-94H-13	KIT-94H-14	KIT-94H-15	KIT-94H-17	KIT-94H-20	NEEDLE NOZZLE AIR CAP	9403
REPAIR KIT	ACC-R-894	ACC-R-894	ACC-R-894	ACC-R-894	ACC-R-894	GASKETS, SPRINGS, O-RING ETC...	9404

903H / 903G

**TOUCH-UP /
DETAILING GUNS**

TECHNICAL DATA:

For Solvent Material ONLY

Operating Pressure: 14CFM @ 56-71PSI for H Model;
10CFM @29PSI for G Model

Weight: 0.66 lbs for H Model; 0.97 for G Model

Finish: Nickel Plated, Aluminum Die Cast Gun Body

Can be used with 3M PPS Adp # 10

**Great for reaching diffi-
cult places / angles !
Great For Small Jobs.**



“H”

TIP SIZE (mm) 903 HVLP GUN	0.8	1.1	1.4	1.8	ACCESSORIES INCLUDED	PRICE REF#
w/ 0.6 L Alumi- num siphon cup and adapter #03	903H-08	903H-11	903H-14	903H-18	CUP-03 ADAPTER-03	0302
w/ 0.4 L Alumi- num side cup	903G-08	903G-11	903G-14	903G-18	CUP-03G	0303
NOZZLE SET	KIT-03H-08	KIT-03H-11	KIT-03H-14	KIT-03H-18	NEEDLE/ NOZZLE AIR CAP	0304
REPAIR KIT	ACC-R-903	ACC-R-903	ACC-R-903	ACC-R-903	GASKETS, SPRINGS, O-RING ETC...	0305



“G”

CUP-03
0.6 L
siphon cup
5017



CUP-03G
0.4 L
gravity cup
5018

All Kits include gun, cup(s), extra nozzle set(s), regulator, repair kit and tools.

HVLP GUN KIT

			
904HE - AC	904HE - AS	904HE - WP	827HF - AC
			
881H - AC	881H - AS	881H - PC	881H-828H
			
980H - AC	980H - WP	980HE - AC	980HE - WP
			
891H	891WB	898H	878SHE (MINI)

ACCESSORIES:

				
CUP-26AC (1.0L)	CUP-27AC (1.0L)	CUP-80AC (1.0L)	CUP-27AS (0.6L)	CUP-26PC (0.6L)
			 = CUP-78SAC	 = CUP-78SAC-250
CUP-27PC (0.6L)	CUP-27WBPC (0.6L)	CUP-80WBPC (0.6L)	CUP-28AC (.125L)	CUP-28AC-250 (.25L)
 = CUP-78SPC	 = CUP-78SWBPC			
CUP-28PC (.125L)	CUP-28WBPC (.125L)	CUP-88 (3OZ)	ABK-KIT	CUP-03G (0.4L)
			 2 1/4 Gal.	
CUP-02 (1QT)	CUP-03 (0.6L)	CUP-2QB (2QT)	TANK-25N (SINGLE)	TANK-26N (DUAL)
				
REG-34H (diaphragm regulator)	REG-60 (air regulator)	REG-2QB (for cup-2QB)	REG-25N (SINGLE) (for TANK-25N)	REG-26N (DUAL) (for TANK-26N)
				
ACC-815 GUN HOLDER	ACC-951 AIR DRYER (FOR WB)	ACC-809 INLINE FILTER	LINER FOR TANK P/N: T-25L-20 20 pieces	LINER FOR TANK P/N: T-25L-60 60 pieces

ACCESSORIES:

Price Ref #	Part No.	material / capacity	Thread	827HF	881H	904H 904HE 904WB	980H 980HE 980WB	878HE	878S 878S/HE 878S/WB	828H
3M PPS ADAPTER CROSS REFERENCE --->				16016 #9	16603 #2	16603 #2	16132 #37	16603 #2	16105 #21	16105 #21
5001	CUP-26AC	G, aluminum / 1000 cc	M, 16X1.5	X						
5002	CUP-26PC	G, plastic / 600 cc	M, 16X1.5	X						
5003	CUP-27AC	G, aluminum / 1000 cc	F, 16X1.5		X	X		X	adap #27	adap #27
5004	CUP-27PC	G, plastic / 600 cc	F, 16X1.5		X	X		X	adap #27	adap #27
5006	CUP-27AS	G, aluminum / 600 cc	F, 16X1.5		X	X		X	adap #27	adap #27
5005	CUP-27WBPC*	G, plastic / 600 cc	F, 16X1.5		X	X		X	adap #27	adap #27
5007	CUP-80AC	G, aluminum / 1000 cc	M, 5/8"-11				X			
5008	CUP-80WBPC*	G, plastic / 600 cc	M, 5/8"-11				X			
5009	CUP-28AC	G, aluminum / 125 cc	F, 14X1.0		adap #28	adap #28		adap #28		X
5010	CUP-28PC	G, plastic / 125 cc	F, 14X1.0		adap #28	adap #28		adap #28		X
5042	CUP-28AC-250	G, aluminum / 250 cc	F, 14X1.0		adap #28	adap #28		adap #28		X
5012	CUP-78SAC**	G, aluminum / 125 cc	F, 14X1.0						X	
5013	CUP-78SPC**	G, plastic / 125 cc	F, 14X1.0						X	
5014	CUP-78SWBPC* **	G, plastic / 125 cc	F, 14X1.0						X	
5015	CUP-78SAC-250**	G, aluminum / 250 cc	F, 14X1.0						X	
5050	CUP-88 (**)	G, stainless steel / 3oz	F, 14X1.0		adap #28	adap #28		adap #28	X	X
5011	ABK-KIT	G, glass / -----	-----						X	X
				903G	903H	891H	891WB	894H	898H	898 C
5018	CUP-03G	aluminum / 0.4L	1/4"	X						
5016	CUP-02	aluminum / 1qt.	3/8"		adap #03	X	X		X	X
5017	CUP-03	aluminum / 0.6 L	1/4"		X					
5019	CUP-2QB	aluminum / 2 qt.	-----			X	X	X	X	X
5020	TANK-25N	2.25 gallons /single	-----			X	X		X	X
5021	TANK-26N	2.25 gallons / dual	-----			X	X		X	X
5027	HOSE-5P	1/4 air/fluid		5040	#27	Adapter #27 16X1.5 MALE - 14X1.0 FEMALE				
5028	HOSE-12P	5/16 air, 3/8 fluid		5041	#28	Adapter #28 14X1.0 MALE - 16X1.5 FEMALE				
5029	HOSE-15P	5/16 air, 3/8 fluid		5049	#88	Adapter #88 14X1.0 MALE - 10X1.0 MALE (FOR SATA MINI JET TO ADAPT CUP-88)				
5030	HOSE-25P	5/16 air, 3/8 fluid		5048	#03	Adapter #03 1/4" - 3/8"				
----	CUSTOMIZED	CALL								

F-27L-C  gravity cup filter	W-32S  siphon cup filter	825-P  air hopper gun	USA-823  rust protection gun
LID-27AC LID 28AC  Aluminum cup lid	LID-27PC LID-28PC  Plastic cup lid	201-06  Gasket for Cup-2QB	W-30S  Gasket for Cup-02



P/N: **ACC-818**
18 pieces cleaning kit in a tube

WARWICK INDUSTRIES INC.
170 West Pomona Ave.
Monrovia, CA 91016
www.warwick-sprayguns.com



3 oz. Stainless Steel Cup

Your Distributor:



WARWICK

Industries Inc. since 1995

